

L Number	Hits	Search Text	DB	Time stamp
1	2	("6621796").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:27
2	2	("6104696").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:27
3	2	("5477547").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:28
4	2	("5946308").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:29
5	2	("6522656").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:29
6	2	("6321338").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:29
7	2	("6510154").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:30
8	2	("5737525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:30
-	4649	(discard\$) near3 (packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:13
-	153478	(discard\$) near3 (fault\$4 or error\$4 or spuriou\$4) near "3" (packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:14
-	31	(discard\$) adj3 (fault\$4 or error\$4 or spuriou\$4) adj3 (packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:14
-	18	((discard\$) adj3 (fault\$4 or error\$4 or spuriou\$4) adj3 (packet\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:36

	25	("4323966" "4333144" "4658351" "4692918" "4805107" "4905233" "4939726" "4951193" "4956841" "4999829" "5001702" "5016163" "5018138" "5020054" "5020055" "5048011" "5136715" "5222221" "5315587" "5325529" "5357612" "5367643" "5404550" "5452454" "5465372").PN.	USPAT	2003/11/14 12:21
	0	(switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and (discard\$4 adj10 (fault\$4 or error\$4) adj10 packet\$) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:39
	606	(switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:40
	5	370/218.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:41
	362	(switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 12:41
	4	370/218.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:26
	7	("5404461" "5432783" "5838681" "5841771" "5862136" "5991297" "6016310").PN.	USPAT	2003/11/14 12:46
	4	370/217.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:08
	15	("4306313" "4837856" "4847837" "4897841" "4984240" "5016244" "5088091" "5103446" "5132962" "5161156" "5198808" "5200949" "5218600" "5218601" "5239537").PN.	USPAT	2003/11/14 12:59
	0	370/241.1.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:15
	0	370/243.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:08
	1	370/244.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:09
	0	370/242.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:09

	0	370/245.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:10
	13	370/351.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:23
	20	("4642607" "4715030" "5088090" "5150360" "5153876" "5179554" "5222064" "5264742" "5309437" "5321695" "5337309" "5421024" "5440546" "5450408" "5457681" "5477547" "5500860" "5521913" "5537099" "5598406").PN.	USPAT	2003/11/14 13:16
	1430	(determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:00
	6	370/218.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:15
	5	("5515376" "5838681" "6236643" "6363077" "6393021").PN.	USPAT	2003/11/14 14:06
	734	370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:17
	218	(370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:16
	0	370/241.1.ccls. and ((370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:18
	0	370/243.ccls. and ((370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:18
	2	370/244.ccls. and ((370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:19
	1	370/242.ccls. and ((370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:20
	2	370/245.ccls. and ((370/.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:20

-	6	("4901348" "5124984" "5161192" "5177788" "5251203" "5311593").PN.	USPAT	2003/11/14 14:22
-	3	("5136580" "5343471" "5371868").PN.	USPAT	2003/11/14 14:39
-	26	5477547.URPN.	USPAT	2003/11/14 14:41
-	1465	(discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:31
-	74	((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and ((determin\$4 or compar\$4) same port\$1 same source same address\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:32
-	48	(((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and ((determin\$4 or compar\$4) same port\$1 same source same address\$4)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 15:17
-	0	370/245.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:59
-	207	370/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:20
-	6	370/245.ccls. and (discard\$4 same packet\$4) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:19
-	2	370/245.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:35
-	585	370/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:26
-	4	370/242.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:27
-	1214	370/241.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:26
-	8	370/241.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:59

	163	"OSPF" and ((discard\$) near3 (packet\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:35
	19	("OSPF" and ((discard\$) near3 (packet\$1))) and ((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:35
	4	((OSPF" and ((discard\$) near3 (packet\$1))) and ((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1))) and @ad<20000807 and port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 18:24
	49	((expect\$4 or anticipat\$4 or project\$4) near5 port\$1) and ((actual or real or definite) near5 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near5 port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:53
	28	((expect\$4 or anticipat\$4 or project\$4) near5 port\$1) and ((actual or real or definite) near5 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near5 port\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:54
	820	((expect\$4 or anticipat\$4 or project\$4) same port\$1) and ((actual or real or definite) same port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) same port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:54
	30	((expect\$4 or anticipat\$4 or project\$4) adj10 port\$1) and ((actual or real or definite) adj10 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) adj10 port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:54
	23	((expect\$4 or anticipat\$4 or project\$4) adj10 port\$1) and ((actual or real or definite) adj10 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) adj10 port\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:31
	744	370/235.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:59
	71	370/235.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:59
	13	(370/235.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1) and (determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:20
	2	("6075776").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:30

-	2214	((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:31
-	1370	((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:31
-	391	((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807) and ((determin\$4 or compar\$4) same port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:32
-	98	((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807) and ((determin\$4 or compar\$4) adj2 port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:32
-	172	((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807) and ((determin\$4 or compar\$4) adj10 port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:33
-	2	("5606551").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 18:19
-	2	("5138615").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 18:20
-	2	("5752003").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 18:21
-	2	("6405248").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 18:21
-	8	((OSPF" and ((discard\$) near3 (packet\$1))) and ((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1))) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 18:24
-	8	("5596719" "5638516" "5802503" "5845091" "6044075" "6347078" "6363319" "6438133").PN.	USPAT	2003/11/14 18:25
-	12	("5088090" "5214646" "5280480" "5327431" "5434976" "5444692" "5448565" "5590285" "5600798" "5655140" "5734824" "6137797").PN.	USPAT	2003/11/14 18:34
-	22	(US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-6016310-\$ or US-5404461-\$ or US-5844887-\$ or US-5764624-\$ or US-5781715-\$ or US-5841990-\$ or US-5500860-\$ or US-6535489-\$ or US-6363077-\$ or US-5737525-\$ or US-5421024-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-5845091-\$ or US-6347078-\$).did.	USPAT	2003/11/14 19:24

	4	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-6016310-\$ or US-5404461-\$ or US-5844887-\$ or US-5764624-\$ or US-5781715-\$ or US-5841990-\$ or US-5500860-\$ or US-6535489-\$ or US-6363077-\$ or US-5737525-\$ or US-5421024-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-5845091-\$ or US-6347078-\$).did.) and ((fault or error or corrupt) adj1 packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 19:24
	1	us-20030212903-.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:41
	2	("6321338").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 17:29
	303	packet adj1 handler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:34
	247	(packet adj1 handler) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:24
	23	((packet adj1 handler) and @ad<20000807) and (discard\$4 near5 packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 17:44
	1624	packet\$1 adj1 processor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 17:44
	1004	(packet\$1 adj1 processor\$1) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 17:44
	196	((packet\$1 adj1 processor\$1) and @ad<20000807) and (discard\$4 near5 packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:24
	105	((packet\$1 adj1 processor\$1) and @ad<20000807) and (discard\$4 near5 packet\$1) and ports	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 17:45
	735	packet adj1 filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:24

-	412	(packet adj1 filter) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:24
-	78	((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:24
-	57	((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:25
-	0	((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:25
-	44	((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:25
-	24	packet adj1 handler\$1 and (network adj1 security)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:35
-	1	us-20030179707-\$ did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:43
-	2	("6321338").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 18:50
-	9	("4672609" "4773028" "5210704" "5539659" "5557742" "5706210" "5790799" "5974237" "6009467").PN.	USPAT	2003/11/15 18:46
-	1349	rout\$4 adj1 (error\$1 or fault\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:49
-	2	("6321338").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:29
-	2	("6522656").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:42
-	3	"6496940"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:43

-	2	("6496940").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:43
-	426	compar\$4 adj1 port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:50
-	48	compar\$4 adj5 source adj5 address adj5 port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 19:50
-	31	(compar\$4 adj5 source adj5 address adj5 port\$1) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 21:16
-	2	("6363056").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 20:55
-	15274	advanced adj1 micro.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 21:08
-	14874	advanced adj1 micro adj1 devices.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/15 21:08
-	5	("5515376" "5838681" "6236643" "6363077" "6393021").PN.	USPAT	2003/11/15 21:09
-	2	("5828846").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 16:57
-	8	("4922503" "5343471" "5396493" "6038600" "6128729" "6169741" "6301256" "6308218").PN.	USPAT	2003/11/16 13:52

	131	("H000586" "Re33426" "3735357" "4213201" "4589120" "4597078" "4627052" "4706081" "4707827" "4710769" "4715030" "4718060" "4723311" "4727537" "4727538" "4737953" "4744078" "4797879" "4823338" "4849962" "4878216" "4901308" "4905219" "4933937" "4935922" "5016159" "5020052" "5027350" "5048014" "5107489" "5119367" "5140585" "5151897" "5151994" "5166926" "5184346" "5229993" "5241550" "5243699" "5274631" "5307345" "5337309" "5339316" "5353353" "5379289" "5379296" "5386413" "5404459" "5410754" "5430762" "5432511" "5434861" "5442578" "5446726" "5448565" "5457446" "5457679" "5481540" "5487067" "5502748" "5506902" "5515376" "5515513" "5517494" "5521913" "5522059" "5530434" "5541923" "5550826" "5559796" "5560038" "5565929" "5568476" "5568643" "5570330" "5570466" "5598161" "5598278" "5598391" "5598581" "5600664" "5602851" "5608730" "5608879" "5610905" "5617421" "5621725" "5640399" "5680622" "5721927" "5751952" "5757795" "5761435" "5764895" "5796944" "5802047" "5805816" "5844903" "5852607" "5857075" "5859837" "5864554" "5878028" "5884040" "5917821" "5923654" "5923660" "5926473" "5940596" "5940597" "5946308" "5949788" "5951651" "5978378" "5991305" "6018526" "6044080" "6067300" "6070205" "6075773" "6081532" "6084877" "6088356" "6091725" "6094434" "6098110" "6108345" "6111874" "6122277" "6130891" "6137797").PN.	USPAT	2003/11/16 14:01
	2	("6446131").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 16:57
	5	("5142531" "5317566" "5537392" "5825772" "5881243").PN.	USPAT	2003/11/16 17:39
	28	(US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.	USPAT	2003/11/16 18:31
	0	("50and(alertoralarmnotification)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 18:32

-	0	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (discard\$4 adj10 (alert\$1 or alarm or notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 18:33
-	0	discard\$4 adj10 pacekt adj10 (alert\$1 or alarm or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:07
-	7	(discard\$4 adj10 packet\$1 adj10 (alert\$1 or alarm\$1 or notification\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:16
-	11	discard\$4 adj20 packet\$1 adj20 (alert\$1 or alarm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:13
-	1	(discard\$4 adj20 packet\$1 adj20 (alert\$1 or alarm\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:08
-	15	("5282203" "5311509" "5628051" "5655219" "5684791" "5701312" "5729530" "5844918" "5870548" "5999528" "6047272" "6058290" "6078568" "6144636" "6163861").PN.	USPAT	2003/11/16 18:41
-	0	pacekt adj10 (alert\$1 or alarm or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:07
-	487	packet adj10 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:08
-	320	packet adj5 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:08
-	47	packet adj1 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:11
-	33	(packet adj1 (alert\$1 or alarm)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:16

	585	packet near5 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:11
	2	("6330435").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:13
	15	("5282203" "5311509" "5628051" "5655219" "5684791" "5701312" "5729530" "5844918" "5870548" "5999528" "6047272" "6058290" "6078568" "6144636" "6163861").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:13
	26	discard\$4 adj10 packet\$1 adj10 (alert\$1 or alarm\$1 or notification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:16
	331	discard\$4 adj10 (alert\$1 or alarm\$1 or notification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:17
	221	(discard\$4 adj10 (alert\$1 or alarm\$1 or notification\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:18
	26	discard\$4 adj10 packet\$4 adj10 (alert\$1 or alarm\$1 or notification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:28
	33	discard\$4 adj20 packet\$4 adj20 (alert\$1 or alarm\$1 or notification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:17
	9	(discard\$4 adj20 packet\$4 adj20 (alert\$1 or alarm\$1 or notification\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:28
	6062	generating adj1 (alaert or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:26
	6813	generating adj1 (alert or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:26
	3622	discard\$4 adj10 packet\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:27

	4	(generating adj1 (alert or alarm)) and (discard\$4 adj10 packet\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:27
	218	discard\$4 same packet\$4 same (alert\$1 or alarm\$1 or notification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:28
	107	(discard\$4 same packet\$4 same (alert\$1 or alarm\$1 or notification\$1)) and @ad< <u>20000807</u>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:48
	2	("5477547").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:49
	2	("6446131").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:49
	28	(US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.	USPAT	2003/11/17 08:17
	0	("1and(iporinternet)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 08:18
	12	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (ip or internrt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 08:19
	3	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (ip or internet) adj1 packet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 09:53

	13	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (rout\$4 adj1 (tree\$1 or table\$1)) (calculat\$4 or determin\$4) adj1 expected adj1 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:04
	0	(calculat\$4 or determin\$4) adj5 expected adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:27
	0	(calculat\$4 or determin\$4) adj5 expected adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:05
	35	(calculat\$4 or determin\$4) adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:08
	13	((calculat\$4 or determin\$4) adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:27
	0	(calculat\$4 or determin\$4) adj5 path\$1 adj5 incom\$4 adj5 packet\$1 adj10 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:09
	0	(calculat\$4 or determin\$4) adj10 path\$1 adj10 incom\$4 adj10 packet\$1 adj10 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:10
	8148	(calculat\$4 or determin\$4) adj20 path\$1 adj20 incom\$4 adj20 packet\$1 ad20 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:10
	0	(calculat\$4 or determin\$4) adj15 path\$1 adj15 incom\$4 adj15 packet\$1 adj20 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:16
	3	(calculat\$4 or determin\$4) adj15 incom\$4 adj15 packet\$1 adj20 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:11
	53	(calculat\$4 or determin\$4) same path\$1 same incom\$4 same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:21

	32	((calculat\$4 or determin\$4) same path\$1 same incom\$4 same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:23
	172	(calculat\$4 or determin\$4) same incom\$4 same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:22
	84	((calculat\$4 or determin\$4) same incom\$4 same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:22
	0	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (calculat\$4 or determin\$4) adj1 path\$1 adj1 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:27